

insocoat bearing number and size chart pdf

Our company offers different insocoat bearing, v10241 bearing, v10241 bearing, bearings at Wholesale Price? Here, you can get high quality and high efficient insocoat bearing

6314/C3VL0241 SKF INSOCOAT Deep Groove Ball Bearing SKF electrically insulated bearings, called INSOCOAT, are designed to protect a bearing against electric current passage. By integrating the insulating

INSOCOAT bearings | SKF INSOCOAT bearings are designed to prevent electric current from passing through the bearing. INSOCOAT deep groove ball bearings, single row . Filter Insulated (INSOCOAT) Bearings - Bearings R Us Items 1 - 40 of 49 - Insulated (INSOCOAT) Bearings

@@@@@@@								
	d	L	a	M	T	h	S	G
234436	20.000 mm	-	-	-	-	-	-	-
NUP1013	35.000 mm	-	-	-	-	-	-	-
MF63	15.000 mm	-	-	-	-	-	-	-
05066/05185	120 mm	-	-	-	-	-	-	-
NU18/1320	-	-	-	-	-	52.388 mm	4.763 mm	-
7076 A	-	-	32.002 mm	-	33.338 mm	-	-	-
HK1214	-	-	-	-	-	-	-	-
26131/26283	-	-	-	-	-	-	-	-
MF41X	-	-	-	-	-	-	-	-
K09x12x10	-	-	-	-	-	-	-	-
NJ3214	90.000 mm	-	-	-	-	-	-	-
469/453A	41.280 mm	-	-	-	-	-	-	-
NN3122 K	90 mm	-	-	-	-	-	-	-
619/800	35.000 mm	-	-	-	-	-	-	-
F623ZZ	-	-	-	-	-	-	-	-
2789/2720	-	-	-	-	-	54.769 mm	4.763 mm	-
61914	-	-	-	-	-	-	-	-
UCF212	80.000	-	-	-	-	-	-	-

	mm							
FR1-4ZZ	45.000 mm	-	-	-	-	-	-	-
NUP12/63 0	8 mm	-	-	-	-	-	-	-
SAL 12	190.000 mm	-	-	-	-	-	-	-
24136W3 3	-	-	21 mm	-	-	-	-	-
52412	-	-	-	-	-	-	-	-
NUP2328	-	-	-	-	-	-	-	-
NUP1984	-	539.75 mm	-	-	-	-	-	-
BK3514	-	-	-	-	-	-	-	-
NUP18/13 20	30 mm	-	-	-	-	-	-	-
81122	80.000 mm	-	-	-	-	-	-	-
SL182230	-	-	-	-	-	-	-	-
7307 BDB	88.9 mm	-	-	-	-	-	-	-
7017 ADB	100.000 mm	-	-	-	-	-	-	-
399A/394 A	-	-	-	-	-	225 mm	-	M 60x4
NU3207	75.000 mm	-	-	-	-	-	-	-
NUP2060	-	-	-	6 mm	-	-	-	-
FL619/5 ZZ	25.000 mm	-	-	-	-	-	-	-
52413	-	-	-	-	-	-	-	M 39x3
HK35452 4	-	-	-	-	-	-	-	-
6320-2RS	60.000 mm	-	-	-	-	-	-	-
NNU6038 V	15.000 mm	-	-	-	-	-	-	-
23096 KW33	35.000 mm	-	-	-	-	-	-	-
63803-2R S	400 mm	-	-	-	-	-	-	-
LL575343 /10	50 mm	-	-	-	-	185 mm	-	-
NP210	110.000 mm	-	-	-	-	-	-	-
NU2248	-	-	-	-	-	-	-	-
NN4956	-	-	-	-	-	-	-	-

21063/21 212	85.000 mm	-	-	-	-	-	-	-
81107	110 mm	-	-	-	-	-	-	-
53417U+ U417	105.000 mm	-	-	-	-	-	-	-
7200 BDF	-	387.35 mm	-	-	-	-	0.794 mm	-
54236	130.000 mm	-	-	-	-	-	-	-
495/492A	25 mm	-	-	-	-	-	-	-
20308	60.000 mm	-	-	-	-	-	-	-
7017 CDT	-	200.025 mm	-	-	-	-	0.794 mm	-
NP28/710	-	-	-	-	-	-	-	-
7005 BDT	55.000 mm	-	-	-	-	-	-	-
GE180AW	30.000 mm	-	-	-	-	-	-	-
61830	-	-	-	-	-	-	-	-
UCFL216	240 mm	-	-	-	-	-	-	-
7336 ADT	-	-	-	-	-	-	-	-
126	140 mm	-	-	-	-	-	-	-
SL182960	-	-	-	-	-	-	-	-
7206 ADB	-	-	-	-	85 mm	-	-	-
7201 ADB	-	-	-	-	-	-	-	M 135x2
K14X19X 10	12 mm	-	-	-	-	-	-	-
71930 CDI	25.000 mm	-	-	-	-	-	-	-
3304	70.000 mm	-	-	-	-	-	-	-
680235/6 80270	25.000 mm	-	-	-	-	-	-	-
NUP10/80 0	480 mm	-	-	-	-	-	-	-
6317	20.000 mm	-	-	-	-	-	-	-
JP10049/ 10	-	-	-	-	-	-	4.763 mm	-
UCFCX07	12.000 mm	-	-	-	-	-	-	-
232/560 K CW33+A H32/560	-	-	9.7 mm	-	-	-	-	-
BK1512	45 mm	-	-	42.5 mm	-	-	-	-

NJ3080	-	-	-	-	-	-	-	-
61811 ZZ	-	-	-	-	-	47.625 mm	-	-
R0	-	-	-	-	-	-	-	-
240/600 K 30CW33+ AH240/60 0	-	-	-	-	-	-	-	-
GE 035 HS-2RS	-	-	-	-	-	-	-	-
20216	40.000 mm	-	-	-	-	-	-	-
NU234	85.000 mm	-	-	-	-	-	-	-
Q213	-	-	-	-	-	-	-	-
F601XZZ	-	-	-	-	-	-	-	-
363	240 mm	-	-	-	-	-	-	-
18200/18 337	3.5000 in	-	-	-	-	-	-	-

SKF Single row deep groove ball bearing INSOCOAT - EriksTo protect the bearing against current flow, SKF has developed the INSOCOAT bearing. INSOCOAT bearings with coated o-race. Bearings with electrical coating

SKF INSOCOAT Electrically Insulated Bearings - Bearing King32 products - SKF INSOCOAT bearings are a very cost effective solution for protecting bearings against damage or failure due to passage of electric current INSOCOATWhat are INSOCOAT bearings? SKF provides electrically insulated bearings, called INSOCOAT®, to protect against damages caused by electric currents. These

@@@@@@@				
ISO	KOYO	NSK	NTN	SKF
MF63	61814 ZZ	NN4836 K	GE20AW	HK1618
05066/05185	33885/33822	52436	F696-2RS	RNA5928
NU18/1320	NJ3236	62305-2RS	23036 KW33	231/850W33
7076 A	7217 ADB	NP314	NF2220	71824 C
HK1214	HM617049/10	1208K+H208	7236 CDB	K18x25x22
GE 240 ES-2RS	NCF1864 V	NU217	K40x45x13	7032 BDB
234426	GE 200 HS-2RS	MF52ZZ	NUP409	7044 BDT
30204	22240 KCW33+AH2240	NF428	234436	FL619/7
32934	29440 M	7007 BDT	26131/26283	24168 K30CW33+ AH24168
NCF2206 V	7407 ADF	LL428349/10	MF41X	NNF5048 V
R1ZZ	NN3172	7010 ADB	K09x12x10	693ZZ
HK1618	7222 ADT	UCTX09	NJ3214	NNU6019

RNA5928	628/5 ZZ	NK105/26	469/453A	7407 ADT
231/850W33	NJ3319	29268 M	NN3122 K	NU18/1180
71824 C	7306 ADT	6315-2RS	619/800	L319249/10
K18x25x22	3804-2RS	61817 ZZ	F623ZZ	NH2313
7032 BDB	Q224	GE 030 ES	2789/2720	23148 KW33
7044 BDT	3303 ZZ	7048 ADF	61914	MR126
FL619/7	NF218	HK2012	UCF212	NN3138 K
24168 K30CW33+ AH24168	63306-2RS	23980 KCW33+H3980	FR1-4ZZ	24160 K30W33
NNF5048 V	N3876	33208	NUP12/630	7200 CDT
693ZZ	NUP29/1180	24068 K30W33	SAL 12	89312
NNU6019	F605ZZ	SL014856	24136W33	7406 A
7407 ADT	NN3138	3309	52412	HK4516
NU18/1180	NJ3132	27689/27620	NUP2328	7334 B
L319249/10	NJ38/500	7410 ADB	NUP1984	1306
NH2313	7206 BDF	23330W33	BK3514	7022 C
23148 KW33	NJ412	234411	NUP18/1320	UKT215
MR126	NUP1020	NJ1876	81122	232/530W33
NN3138 K	54224U+U224	22256 KW33	SL182230	DAC36720534
24160 K30W33	NNF5032 V	52411	7307 BDB	SIL 16
7200 CDT	7004 CDF	22256W33	7017 ADB	BK0611
89312	NKI12/20	53309	399A/394A	23072 KCW33+AH3072
7406 A	6426	NF28/1000	NU3207	51205
HK4516	234744	K14X20X17	NUP2060	33005
7334 B	HK2518	KZK30X37X16	FL619/5 ZZ	65237/65500
1306	KBK12X15X13	61814 ZZ	52413	GE 110 ECR-2RS
7022 C	53417	33885/33822	HK354524	2222K+H322
UKT215	NJ252	NJ3236	6320-2RS	NN4836 K
232/530W33	NA497	7217 ADB	NNU6038 V	52436
DAC36720534	7014 BDT	HM617049/10	23096 KW33	62305-2RS
SIL 16	61802 ZZ	NCF1864 V	63803-2RS	NP314
BK0611	20217 KC+H217	GE 200 HS-2RS	LL575343/10	1208K+H208
23072 KCW33+AH3072	23134 KCW33+H3134	22240 KCW33+AH2240	NP210	NU217
51205	NH348	29440 M	NU2248	MF52ZZ
33005	230/530 KCW33+AH30/530	7407 ADF	NN4956	NF428
65237/65500	3303	NN3172	21063/21212	7007 BDT
GE 110 ECR-2RS	22232 KW33	7222 ADT	81107	LL428349/10
2222K+H322	7320 C	628/5 ZZ	53417U+U417	7010 ADB
NN4836 K	GE20AW	NJ3319	7200 BDF	UCTX09
52436	F696-2RS	7306 ADT	54236	NK105/26
62305-2RS	23036 KW33	3804-2RS	495/492A	29268 M
NP314	NF2220	Q224	20308	6315-2RS
1208K+H208	7236 CDB	3303 ZZ	7017 CDT	61817 ZZ

NU217	K40x45x13	NF218	NP28/710	GE 030 ES
MF52ZZ	NUP409	63306-2RS	7005 BDT	7048 ADF
NF428	234436	N3876	GE180AW	HK2012
7007 BDT	26131/26283	NUP29/1180	61830	23980 KCW33+H3980
LL428349/10	MF41X	F605ZZ	UCFL216	33208
7010 ADB	K09x12x10	NN3138	7336 ADT	24068 K30W33
UCTX09	NJ3214	NJ3132	126	SL014856
NK105/26	469/453A	NJ38/500	SL182960	3309
29268 M	NN3122 K	7206 BDF	7206 ADB	27689/27620
6315-2RS	619/800	NJ412	7201 ADB	7410 ADB
61817 ZZ	F623ZZ	NUP1020	K14X19X10	23330W33
GE 030 ES	2789/2720	54224U+U224	71930 CDT	234411
7048 ADF	61914	NNF5032 V	3304	NJ1876
HK2012	UCF212	7004 CDF	680235/680270	22256 KW33
23980 KCW33+H3980	FR1-4ZZ	NK112/20	NUP10/800	52411
33208	NUP12/630	6426	6317	22256W33
24068 K30W33	SAL 12	234744	JP10049/10	53309
SL014856	24136W33	HK2518	UCFCX07	NF28/1000
3309	52412	KBK12X15X13	232/560 KCW33+AH32/560	K14X20X17
27689/27620	NUP2328	53417	BK1512	KZK30X37X16
7410 ADB	NUP1984	NJ252	NJ3080	61814 ZZ
23330W33	BK3514	NA497	61811 ZZ	33885/33822
234411	NUP18/1320	7014 BDT	R0	NJ3236
NJ1876	81122	61802 ZZ	240/600 K30CW33 +AH240/600	7217 ADB
22256 KW33	SL182230	20217 KC+H217	GE 035 HS-2RS	HM617049/10
52411	7307 BDB	23134 KCW33+H3134	20216	NCF1864 V
22256W33	7017 ADB	NH348	NU234	GE 200 HS-2RS
53309	399A/394A	230/530 KCW33+AH30/530	Q213	22240 KCW33+AH2240
NF28/1000	-	3303	-	-
K14X20X17	-	22232 KW33	-	-
KZK30X37X16	-	7320 C	-	-

SKF Single row cylindrical roller bearing Insocoat series NUP
Product description. Electric motors, generators and associated equipment are at risk when an electric current passes through their bearings. This can damage 6313M C3VL0241, SKF, Insocoat, Deep Groove Ball Bearing
INSOCOAT bearings are designed to prevent current from passing through the bearing. Electric motors, generators and associated equipment are at risk when

INSOCOAT electrically insulated rolling bearings - Bartlett
The total cost of INSOCOAT bearings is lower than shaft or housing insulation (table 1). Benefits: • Two functions in one solution. – a

bearing function. – electrical INSOCOAT bearings - SKFINSOCOAT bearings. INSOCOAT bearings. Electric motors, generators and associated equipment are at risk when an electric current passes through their